




**Type**

**Series 27N/NHH  
(2794) Nostalgic style  
Ductile iron**

To AWWA C502  
FM approved  
Dry barrel hydrant  
2 Hose Nozzles ONLY  
No Pumper Nozzle  
250 PSI



Standard bases available:

4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:

4" PE\* Add 451  
6" PE\* Add 451  
6" Straight\* Add 350  
6" HYMAX GRIP® Add 300  
8" MJ\* Add 250  
\* Not UL/FM  
Handwheel Kit Add 401

Copper Alloy/Cast Iron  
Storz Nozzles with Cap

2.5" Add 601  
4" Add 731  
5" Add 821

**AVK Ref. #**

**Size**

**Weight**

**kg lb**

**Price  
US \$**

27N/NHH-01	1.5'	127	280	3,693
27N/NHH-02	2.0'	136	300	3,693
27N/NHH-03	2.5'	145	320	3,693
27N/NHH-04	3.0'	154	340	3,795
27N/NHH-05	3.5'	163	360	3,897
27N/NHH-06	4.0'	172	380	3,999
27N/NHH-07	4.5'	181	400	4,101
27N/NHH-08	5.0'	190	420	4,203
27N/NHH-09	5.5'	200	440	4,305
27N/NHH-10	6.0'	209	460	4,407
27N/NHH-11	6.5'	218	480	4,509
27N/NHH-12	7.0'	227	500	4,611
27N/NHH-13	7.5'	236	520	4,713
27N/NHH-14	8.0'	245	540	4,815
27N/NHH-15	8.5'	254	560	4,917
27N/NHH-16	9.0'	263	580	5,019
27N/NHH-17	9.5'	272	600	5,121
27N/NHH-18	10.0'	281	620	5,223
27N/NHH-19	10.5'	290	640	5,325
27N/NHH-20	11.0'	300	660	5,427
27N/NHH-21	11.5'	309	680	5,529
27N/NHH-22	12.0'	318	700	5,631


Note: List prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Series 27N/PNN  
(2760) Nostalgic style  
Ductile iron**

To AWWA C502  
Dry barrel hydrant  
1 Pumper Nozzle ONLY  
No Hose Nozzles

Standard bases available:

4" FL or 4" MJ  
6" FL  
6" MJ  
6" PO  
250 PSI



Standard bases available:

4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:

4" PE\* Add 451  
6" PE\* Add 451  
6" Straight\* Add 350  
6" HYMAX GRIP® Add 300  
8" MJ\* Add 250  
\* Not UL/FM  
Handwheel Kit Add 401

Copper Alloy/Cast Iron  
Storz Nozzles with Cap


2.5" Add 601  
4" Add 731  
5" Add 821

27N/PNN-01	1.5'	127	280	3,787
27N/PNN-02	2.0'	136	300	3,787
27N/PNN-03	2.5'	145	320	3,787
27N/PNN-04	3.0'	154	340	3,889
27N/PNN-05	3.5'	163	360	3,991
27N/PNN-06	4.0'	172	380	4,093
27N/PNN-07	4.5'	181	400	4,195
27N/PNN-08	5.0'	190	420	4,297
27N/PNN-09	5.5'	200	440	4,399
27N/PNN-10	6.0'	209	460	4,501
27N/PNN-11	6.5'	218	480	4,603
27N/PNN-12	7.0'	227	500	4,705
27N/PNN-13	7.5'	236	520	4,807
27N/PNN-14	8.0'	245	540	4,909
27N/PNN-15	8.5'	254	560	5,011
27N/PNN-16	9.0'	263	580	5,113
27N/PNN-17	9.5'	272	600	5,215
27N/PNN-18	10.0'	281	620	5,317
27N/PNN-19	10.5'	290	640	5,419
27N/PNN-20	11.0'	300	660	5,521
27N/PNN-21	11.5'	309	680	5,623
27N/PNN-22	12.0'	318	700	5,725

Note: List prices without accessories. For each 6" increase to bury depth over 12' add \$102

**Type**

**Series 27N/PPN  
(2756) Nostalgic style  
Ductile iron**



To AWWA C502  
UL listed  
Dry barrel hydrant  
2 Pumper Nozzle ONLY\*\*  
No Hose Nozzles  
Standard bases available:  
250 PSI

Standard bases available:  
4" FL\* or 4" MJ\*  
6" FL  
6" MJ  
6" PO

Optional bases available:  
4" PE\* Add 451  
6" PE\* Add 451  
6" Straight\* Add 350  
6" HYMAX GRIP®\* Add 300  
8" MJ\* Add 250  
\* Not UL/FM  
Handwheel Kit Add 401

Copper Alloy/Cast Iron  
Storz Nozzles with Cap  
2.5" Add 601  
4" Add 731  
5" Add 821

**AVK Ref. #**

**Size**

**Weight  
kg lb**

**Price  
US \$**

27N/PPN-01	1.5'	127	280	3,915
27N/PPN-02	2.0'	136	300	3,915
27N/PPN-03	2.5'	145	320	3,915
27N/PPN-04	3.0'	154	340	4,015
27N/PPN-05	3.5'	163	360	4,117
27N/PPN-06	4.0'	172	380	4,219
27N/PPN-07	4.5'	181	400	4,321
27N/PPN-08	5.0'	190	420	4,423
27N/PPN-09	5.5'	200	440	4,525
27N/PPN-10	6.0'	209	460	4,627
27N/PPN-11	6.5'	218	480	4,729
27N/PPN-12	7.0'	227	500	4,831
27N/PPN-13	7.5'	236	520	4,933
27N/PPN-14	8.0'	245	540	5,035
27N/PPN-15	8.5'	254	560	5,137
27N/PPN-16	9.0'	263	580	5,239
27N/PPN-17	9.5'	272	600	5,341
27N/PPN-18	10.0'	281	620	5,443
27N/PPN-19	10.5'	290	640	5,545
27N/PPN-20	11.0'	300	660	5,647
27N/PPN-21	11.5'	309	680	5,749
27N/PPN-22	12.0'	318	700	5,851

Note: List prices without accessories. For each 6" increase to bury depth over 12' add \$102

**AWWA C502, DRY BARREL HYDRANTS**