

American AVK Ball Check Valve Class Code/ Ref. # / Breakdown


53	-	AAA	-	BB		C
Series no.		Size		End Connections		Material
		040 - 1.5"		FF - Flange by Flange		I - Ductile Iron
		048 - 1.5" Ball		NN - NPT by NPT		S - Stainless Steel
		050 - 2"				
		062 - 2" O-ring				
		063 - 2" Ball				
		080 - 3"				
		100 - 4"				
		150 - 6"				
		200 - 8"				
		250 - 10"				
		300 - 12"				
		350 - 14"				
		400 - 16"				
		500 - 20"				
		600 - 24"				

SERIES 53, SWING CHECK VALVE ACRONYMS :

ANSI - American National Standards Institute	NBR - Nitrile Butyl Rubber
AWWA - American Water Works Association	NPT - National Pipe Thread
DI - Ductile Iron	PUR - Polyurethane
EPDM - Ethylene Propylene Diene Monomer	SS - Stainless Steel
FL - Flange	

SERIES 53, BALL

CHECK VALVES

Type	AVK Ref. #	Size	Weight		Price US \$
			kg	lb	
Series 53/FFI FLxFL Ductile Iron Body Flanged Ends NBR Ball 150 PSI Sizes 2"-16", 20" & 24" 	53-050-FFI	2"	9	19	881
	53-065-FFI	2.5"	12	26	985
	53-080-FFI	3"	15	33	1,065
	53-100-FFI	4"	24	53	1,369
	53-150-FFI	6"	40	88	2,689
	53-200-FFI	8"	78	172	4,905
	53-250-FFI	10"	136	300	11,385
	53-300-FFI	12"	208	459	16,665
	53-350-FFI	14"	314	690	53,664
	53-400-FFI	16"	457	1005	65,449
	53-500-FFI	20"	719	1581	72,320
	53-600-FFI	24"	1102	2425	140,592
Series 53/NNI NPTxNPT Ductile Iron Body NPT Ends NBR Ball 150 PSI Sizes 1.5"-2" 	53-040-NNI	1.5"	2	5	649
	53-050-NNI	2"	3	7	753
Series 53/NNS NPTxNPT Stainless Steel Body NPT Ends NBR Ball 150 PSI Sizes 1.5"-2" 	53-040-NNS	1.5"	2	5	1,257
	53-050-NNS	2"	3	7	1,633
Optional Epoxy Coatings	Optional Epoxy Coating Requirements				List Price Adder
	Coating to exceed 10-12 mil thickness				POA
	Holiday Free Coating Inside Only				POA
	Holiday Free Coating Outside Only				POA
	Purple (For reclaimed water)				POA

Type	AVK Ref. #	Size	Weight kg lb	Price US \$
Series 53 Replacement Ball - Sinking (Standard)	53-048-150	1.5"		180
	53-060-150	2"		205
	53-080-250	2.5"		230
	53-096-250	3"		250
	53-125-250	4"		315
	53-180-250	6"		625
	53-250-250	8"		1,130
	53-320-250	10"		2,630
	53-370-250	12"		3,850
	53-440-250	14"		POA
	53-500-250	16"		POA
	53-620-250	20"		POA
	53-750-250	24"		POA
	Use parts discount			
Series 53 Replacement Ball - Floating (Optional)	53-048-055	1.5"		170
	53-060-055	2"		180
	53-080-550	2.5"		205
	53-096-550	3"		220
	53-125-550	4"		290
	53-180-550	6"		560
	53-250-550	8"		1,050
	53-320-550	10"		2,300
	53-370-550	12"		3,400
	53-440-550	14"		POA
	53-500-550	16"		POA
	53-620-550	20"		POA
	53-750-550	24"		POA
	Use parts discount			
Series 53/FF Cover Replacement O-rings for Flanged bodies	XXX	1.5"		6
	24-150-78	2"		8
	96-100-00326	2.5"		10
	96-100-00327	3"		12
	96-100-00328	4"		20
	96-100-00329	6"		50
	96-100-00330	8"		60
	96-100-00331	10"		70
	96-100-00332	12"		125
	XXX	14"		POA
	XXX	16"		POA
	XXX	20"		POA
	XXX	24"		POA
	Use parts discount			
Series 53/NN Cover Replacement O-rings for NPT bodies	15-200-25	1.5"		6
	01-062-3	2"		8
	Use parts discount			